無憂強濾與一般過濾系統比較：

Comparison of WUYO Powerful filter and average filter systems:

產品名稱 product name		無憂強濾 WUYO Powerful filter	石英砂過濾桶 Quartz sand filtering tank	生化過濾桶 Biochemical filtering tank	傳統毛刷池 Traditional brushed pond
產品材質 Product material		不銹鋼+粉體烤漆 Steel+powder coating	不銹鋼&FRP Steel & FRP	不銹鋼+一般噴漆 Steel+common painting	水泥池&塑膠桶 Cement pond & plastic barrel
濾材材質 Filter material		石英砂+生化石 Quartz sand+ biochemical stone	石英砂或生化石 Quartz sand or biochemical stone	保麗龍球或生化球 Styrofoam or biochemical bead	毛刷+生化毯+白棉 Brush+biochemical blank +white cotton
過濾桶特性 Features	去除綠藻 Chlorella elimination	超強 Super strong	尚可+UV燈 Fair+UV lamp	尚可+UV燈 Fair+UV lamp	差+UV燈 Bad+UV lamp
	物理過濾 Physical straining	超強 Super strong	超強 Super strong	差 Bad	差 Bad
	去除水中浮游物 Suspended matter elimination	超強 Super strong	超強 Super strong	差 Bad	差 Bad
	生化過濾 Biochemical straing	超強 Super strong	差 Bad	佳 Good	佳 Good
	清洗方式 Washing operation	手動或全自動 Manual or auto	手動或全自動 Manual or auto	全自動 Auto	手動 Manual
	洗淨方式 Purge method	直接攪拌濾材 +水流逆洗 Direct agitation of filtering material+water purging	水流逆洗 Watre purging	間接攪拌濾材 +水流逆洗 Indirect agitation of fltering material+water purging	手工清洗 Manual purge
	清洗濾材 Filtering material cleaning	1~3分／3~5天 1~3 min/3~5 days	10~30分／1~2天 10~30 min/1~2 days	10~30分／1~3天 10~30 min/1~3 days	10~30分／每週 10~30 min/week
馬達用電量 Motor power consumption		佳 Good	差 Bad	差 Bad	佳 Good
濾材更換期限 Period of filter replacement		2年~永久 2Y-permanent	石英砂半年換一次 Quartz every 6 months	定期更換 Regularly	永久／白棉常更換 Permanent/frequent change of white cotton
排放污水量 Contaminatd drain		超省 Super little	超多 Super much	尚可 Fair	排放底排 Bottom layer
耐用年限 Lifespan		5年以上 Over 5Y	5年以上 Over 5Y	5年以上 Over5Y	易漏水 Leakage likely
佔地空間 Space needed		小 Small	小 Small	小 Small	超大 Super big
外觀效果 Look		1.顏色多樣化 Colorful 2.琺瑯鍛造質感 Enamel & forged texturd	1.白鐵表面材質，趨向傳統。 Conventional steel texture 2.FRP粗糙，易髒污 FRP tends to get dirty	1.顏色單調 Monotonous color 2.趨向傳統 Conventional	要美化 效果有限 Needs treatment, otherwise dul

營業所

無憂強濾 節能科技研發中心
WUYO Power ful Filter R&D Center
北斗七星實業有限公司
BIG DIPPER INDUSTRIAL CO., LTD
TEL:+886-4-8892188 FAX:+886-4-8898460
E-MAIL:koi@w-uyo.com Http://www.w-uyo.com
地址：台灣省彰化縣溪州鄉東州村溪下路四段5巷157號
Address：No. 157, Ln. 5, Sec. 4, Xixia Rd., DongChuan Village, Xizhou Township, Changhua County , Taiwan (R.O.C.)

無憂強濾

節能科技研發中心

WUYO Energy-saving Technology R&D Center

省水 Water saving | 省電 Electricity saving | 省工 Labor saving | 省耗材 Consumable Free | 案例最多 Most cases | 效率最高 Highest efficiency

福忱 filterwuyo

- 魚池 Fish Pond
- 地下水 Groundwater
- 游泳池 Swimming Pool
- 生態池 Ecological pond
- 冷卻水 Cooling Waters
- 專用過濾桶 Dedicated filter barrel

自行研發

Independently developed

台灣製造

Made in Taiwan

選擇無憂讓你無慮！！

輕鬆管理 快樂養魚

WUYO Aquatech

無憂強濾特點－攪拌式過濾產品特點
Features of WUYO Powerful Filter-Mixing filtering

1. 濾桶無死角，不會藏污納垢滋生病源。
   No dead spots in the filter, So it won't hide the pathogens.
2. 攪拌逆洗，濾材不結絮，可長久免換，不會造成二次污染。
   Filtration by mixing eliminates clumps in the filter, makes the filter last longer and avoids secondary contamination.
3. 逆洗只要1～2分鐘，大大縮短時間，節省水費及電費。
   It takes only 1-2 minutes of reverse filtration, it only takes thus significantly shortening the time and saving water and electricity expenses.
4. 攪拌逆洗，馬達可以大大降低功率更能節省電費。
   Filtration by mixing helps reduce motor power and thus saves electricity expenses.
5. 加大清潔口清洗更方便，節省人工。
   Enlarged cleaning port makes cleaning easier, thus saving labor.
6. 大水量六向閥操作更方便，過濾逆洗，一次搞定。
   Large-flow six-way valve allows easy operation. Filtering and reverse filtering both only takes one single valve.
7. 全系列新舊產品皆可升級WUYO智能雲端系統，手機監控APP，即時掌控。
   A full range of old and new products can be upgraded WUYO intelligent cloud system, mobile phone monitoring APP and real-time control.
8. 物理+生化+高速過濾+深層四效合一，過濾效果更佳，水質更優。
   Integration of physics,biochemistry,high speed filtration and depth, produce optimal filtration and excellent water quality.
9. 不用UV殺菌燈，終結綠水，水質清澈見底。
   Functions without UV sterilizing lamp. No more green water, crystal clear to the bottom of the tank.
10. 可以將水中所有的浮游物雜質過濾得一乾二淨。
    Able to strain all suspending matters in the water.
11. 中華民國、美國、中華人民共和國多國發明專利及商標，法律有保障。
    Legally protected by R.O.C., U.S.A. and P.R.C. patens; safe to use.
12. 可升級全自動攪拌逆洗+餵食暫停運轉自動啟動裝置。
    Upgraded to fully automatic mixing filtration.
13. 不銹鋼系列：採用SUS304材質，經多道拋光處理，再經250度粉體烤漆，更美觀更耐用。
    FRP纖維系列：採用高端耐酸鹼樹脂材料+纏繞工藝技術讓系統能克服任何惡劣的環境。
    Stainless steel series: the use of SUS304 materials, after a variety of polishing treatment, and then by 250 degrees of powder paint, more beautiful and durable.
    FRP fiber series: the use of high-end acid-resistant resin materials and winding technology to enable the system to overcome any harsh environment.

WUYO Aquatech

目錄 Contents

無憂強濾特點 Features of WUYO	02
無憂強濾關係企業 Relationship Enterprise	04
無憂強濾簡介 Company Profile	06
五代戰機 Mixing-energy saving series	08
五代戰機 Fifth generation fighter	09
四代戰機 Forth generation fighter	10
無雙系列 WU-SHAUNG Production	12
FRP福頂側閥二戰系列	13
WUYO多功能水車 Multifunctional waterwheel	14
冰屋&配置工程ICE HOUSE & Configuration Project	15
無憂節能泵-陸上泵 Energy Saving Pump-Onshore Pump	16
UV反應器系統 UV Sterilization	17
水池配件及濾材 Pond accessories and filters	18
案例 Examples	20

無憂強濾關係企業
Relationship Enterprise

◆ LOGO意象◆

「深藍」→ 污水（劣質的）
「W」 → 經過（WUYO）
「淺藍」→ 乾淨（優質的）

無憂強濾

我們一起走過11年

11週年特惠方案

智能雲端

國際商城

無憂教育

WUYO Aquatech

無憂淨水

無憂建築

「方型」是無憂強濾
「圓型」是空氣淨化系統
「房子」是無憂優質建材
「水滴」是家用飲水
「心型」是德性教育事業
「雲型」是雲端產業

我們的服務族群？
THE COMMUNITIES WE SERVE

經常清洗濾材

天天清洗海綿濾材，浪費人力成本與時間

經常換水

過濾器效果不明顯，時常綠水要換水，水費高

魚兒無故死亡

魚兒生病，死亡快，消毒用量大，成本高

經常換濾材

耗材使用快，成本日積增高

設備操作複雜

設備操作複雜，維護不易

占地空間大

占地空間大，土建成本高

WUYO Aquatech

產品用途
PRODUCT USAGE

魚缸

景觀魚池

景觀水池

游泳池

地下水

水產養殖

工業污水

循環水

生態池

自來水

畜牧

軟水

冷卻水

• • •

產品六大特色
SIX FEATURES OF THE PRODUCT

智慧財產權仿冒必究

節能科技研發中心
WUYO Power ful Filter R&D Center

公司簡介

1965

創立七星水泥品牌，生產出多元化水泥製品。
Established Qi-Xing Cement brand and produced diversified cement products.

2010

成立無憂強濾節能科技研發中心。
The beginning of WUYO Powerful Filter Technology R&D Center.

2011

拿到第一張中華民國專利證書。
Get the first ROC patent certificate.

2013

投入量產，從設計、研發、製造、規劃、行銷、安裝...等一條龍等服務。
Put into mass production, from design, research and development, manufacturing, planning, marketing, installation, etc., one-stop service.

2017

已獲得中華民國及中華人民共和國專利證書 計銷售量1000套。
Has obtained the Republic of China and the People's Republic of China patent certificate, the sales volume is 1000 sets.

2018

獲得中華民國及美國的發明專利，並在台灣溪州、福建泉州設廠。
Obtained invention patents of the Republic of China and the United States, and set up factories in Xizhou, Taiwan and Quanzhou, Fujian.

2020

增設台灣、福建、浙江、新加坡、馬來西亞等銷售通路。累計銷售量1500套。
Added sales channels in Taiwan, Fujian, Zhejiang, Singapore, and Malaysia.
The cumulative sales volume is 1500 sets.

2021

承接台北大安森林公園生態池水質改善工程,累積銷售達2000套,累計取得專利證書15張。
Undertook the water quality improvement project of the ecological pool of Daan Forest Park in Taipei, with a cumulative sales of 2,000 sets and a cumulative patent certificate15 sheets.

2022

累計專利證書18張，辦公總部遷入溪州工廠並成立無憂集團事業群。
Accumulated 18 patent certificates, moved the office headquarters to Xizhou factory and established Wuyou Group business group.

無憂研發理念成果

WUYO Aquatech



智慧知識產權仿冒必究

五代戰機 攪拌式節能系列

Mixing-energy saving series

WUYO Aquatech

適用：小魚池/魚缸/地下水/自來水過濾

Application: Small pond/ Aquarium/ Groundwater/ Water filtration

手動

尊爵系列				適用水量(T)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
福優機	手動	半自動	全自動						
B30	B31	B32	B33	1~2	34	50	50w	4	1.5"
B40	B41	B42	B43	2~5	42	50	50-100W	8	1.5"
B60	B61	B62	B63	10-20	66	60	1/3-1/2	15	2"
B80	B81	B82	B83	20-40	88	60-65	1	30	3"
B110	B111	B112	B113	50-100	105	60-65	1-2	40	4"

尺寸規格依實品為準Dimensions according to the real product shall prevail

實際案例 Application

安裝前 Before Installation　安裝後 After Installation

產品特色 Product features

1. 組裝更簡單。 Simpler Assembly.
2. 外觀管路更乾淨。 Cleaner Appearance.
3. 內部濾材更穩定。 More stable internal filter.
4. 逆洗更完整，濾材更乾淨。
   More complete reverse filtration & cleaner filter.
5. 過濾效率更好。
   Better filtration efficiency.
6. 體積小，不占空間，用途多廣。
   Small size, less space, more versatile.

五代戰機 SUS不透鋼系列淡水魚池專用

SUS airtight steel seriesfresh water fishpond special-purpose

適用：魚池/地下水/游泳池/冷卻水/生態池/全戶式過濾

Application: Fish ponds/ Groundwater/ Swimming pool/ Cooling water/ Ecological poor/ Full household

半自動

全自動

全自動

尊爵系列				適用水量(T)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
福優機	手動	半自動	全自動						
A30	A31	A32	A33	1-2	23	100/115	50w	4	1.5"
A40	A41	A42	A43	3~10	43	200	150w	8	1.5"
A60	A61	A62	A63	15~20	66	200	1/2	15	2"
A80	A81	A82	A83	30~50	86	240	1	30	3"
A110	A111	A112	A113	60-100	105	245	1	40	4"

尺寸規格依實品為準Dimensions according to the real product shall prevail

實際案例 Application



安裝前 Before Installation　安裝後 After Installation



產品特色 Product features

1. 內部濾材更穩定。
   More stable internal filter.
2. 逆洗更完整，濾材更乾淨。
   More complete reverse filtration & cleaner filter.
3. 過濾效率更好。
   Better filtration efficiency.
4. 增加電動攪拌頭，更省工，省力。
   An electric mixer is added to save labor and effort.
5. 電動蝶閥，水量更大，管耗更小。
   Electric butterfly valve, more water, less pipe consumption.
6. 全自動控制系統，操作輕鬆好管理。
   Fully-Automatic control system, easy operation, low maintenance required.

四代戰機 FRP耐酸鹼系列淡海水養殖專用

FRP Bears the acid and alkali series Mixing series specially for Seawater acquafarming

WUYO Aquatech

＊FB系列－為物理過濾

FB series For physical filtration

適用：魚池/海水養殖/淡水養殖/噴水景觀池/游泳池

Application: Pond/ Mariculture/ Freshwater aquaculture/ Landscape sprinkler pool/ Swimming pool

手動

半自動

全自動

尊爵系列				適用水量(T)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
福優機	手動	半自動	全自動						
FB40	FB41	FB42	FB43	2~4	40	80	1/6~1/4	4~8	1.5"
FB60	FB61	FB62	FB63	10-20	60	115	1/2	15	2"
FB80	FB81	FB82	FB83	20-30	80	135	1	30	3"
FB110	FB111	FB112	FB113	50-90	110	150	2	40	4"

尺寸規格依實品為準Dimensions according to the real product shall prevail

實際案例 Application

安裝前 Before Installation　安裝後 After Installation



產品特色 Product features

1. 內部濾材更穩定。
   More stable internal filter.
2. 逆洗更完整，濾材更乾淨。
   More complete reverse filtration & cleaner filter.
3. 過濾效率更好。
   Better filtration efficiency.
4. 耐酸鹼，輕鬆對抗惡劣水質。
   Acid-resistant, easy to fight against poor water quality.
5. 增加電動攪拌頭，更省工，省力。
   An electric mixer is added to save labor and effort.

四代戰機 FRP耐酸鹼系列淡海水養殖專用

FRP Bears the acid and alkali series Mixing series specially for Seawater acquafarming

＊FA系列－物理+生化二合一

The FA series is the physical + biochemistry two-in-one

適用：魚池/海水養殖/淡水養殖/噴水景觀池/游泳池

Application: Pond/ Mariculture/ Freshwater aquaculture/ Landscape sprinkler pool/ Swimming pool

手動

半自動

全自動



尊爵系列				適用水量(T)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
福優機	手動	半自動	全自動						
FA40	FA41	FA42	FA43	3~8	40	185	1/5	8	1.5"
FA60	FA61	FA62	FA63	15-20	60	185	1/2	15	2"
FA80	FA81	FA82	FA83	30-40	80	185	1	30	3"
FA110	FA111	FA112	FA113	50-100	100	225	2	40	4"

尺寸規格依實品為準Dimensions according to the real product shall prevail

實際案例 Application

安裝前 Before Installation　安裝後 After Installation



產品特色 Product features

1. 組裝更簡單。
   Simpler Assembly.
2. 外觀管路更乾淨。
   Cleaner Appearance.
3. 內部濾材更穩定。
   More stable internal filter.
4. 逆洗更完整，濾材更乾淨。
   More complete reverse filtration & cleaner filter.
5. 過濾效率更好。
   Better filtration efficiency.
6. 增加電動攪拌頭，更省工，省力。
   An electrical mixer is added to save labor and effort.

無雙系列 WU-SHUANG Mount Filter

WUYO Aquatech

適用：魚池/海水養殖/淡水養殖/噴水景觀池/游泳池

Application: Pond/ Mariculture/ Freshwater aquaculture/ Landscape sprinkler pool/ Swimming pool

產品特色 Product features

無雙系列的優點

Advantages of the WU-SHUANG Series

1.業界首創AB桶互相反洗控制系統。
The industry's first AB barrel mutual backwash control system.

2.節能效能翻倍克服了所有砂濾的缺點。
The doubling of energy efficiency overcomes all the disadvantages of sand filtrat

3.真正解決下濾桶阻塞的問題。
Really solve the problem of blockage of the lower filter barrel.

4.巨大水量無限並聯使用。
The huge amount of water can be used in parallel without limit.

5.一套智能控制二套以上的設備。
One set of intelligent control more than two sets of equipment.

6.任何髒污的地方都能克服使用。
Any dirty place can overcome the use.

7.任何系統皆可升級為無雙系列
Any system level can be upgraded to WU-SHUANG series

所有砂濾沒有好壞之分、只有使用之別。
All sand filters are not good or bad, only use.



實際案例 Application

彰濱工業區

桃園養殖

大安森林/台中都會

浙江嘉興

台灣鯛

FRP福頂側閥二戰系列 W/WS/WSH series

FRP FU-YO Top&Side Mount Filter

WUYO Aquatech

適用：一般水池過濾

W系列

WS系列

WSH系列

產品特色 Product features

優點：Advantage

1.一般所有砂濾的優點他都有。
Generally, he has all the advantages of sand filtration.

2.一般砂濾沒有的優點他也有。
He also has the advantages that the general sand filter does not have.

3.超級便宜輕輕鬆鬆入門款。
Super cheap and easy entry model.

缺點：Shortcoming

1. 所有砂濾的缺點他都有。
Super cheap and easy entry model.

2.需要定期保養及更換濾材。
Regular maintenance and replacement of filter media are required.

3.無法升級為無憂機。
Unable to upgrade to WU-YO filter.

W系列	適用水量(T)	濾材重量(kg)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
W40	3~8	30	40	74	0.5	6	1.5"
W65	15-20	145	65	98	1	15	1.5"
W80	30-40	360	80	120	2	25	2"
W110	50-101	700	110	140	3	42	2"

WS系列	適用水量(T)	濾材重量(kg)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
WS50	3~8	85	53	64	0.5	6	1.5"
WS65	15-20	145	64	75	1	15	1.5"
WS80	30-40	360	80	98	2	25	2"
WS110	50-101	700	110	129	3	42	2"

WSH系列	適用水量(T)	濾材重量(kg)	桶徑(cm)	桶高(cm)	馬力HP	濾水量/時	出入口徑
WSH70	15-20	145	74	160	1	25	2"
WSH90	30-40	360	90	160	2	35	2"
WSH100	50-101	700	100	160	3	40	2"

智慧產權仿冒必究

WUYO 多功能水車
multifunctional waterwheel

適用：魚池/海水養殖/淡水養殖/生態池/浮除過濾
Application: Fishpond/ Sea water cultivation/ Fresh water cultivation/ Ecology /Floating filte



系統規範

1. 材質：304不銹鋼+PVC
2. 電壓：220V
3. 尺寸：100*200*60cm
4. 口徑：3寸x1
5. 馬力：750Wx1個=750W。
6. UV燈：15Wx7支=105W
7. 水位控制開關X1
8. 304防水控制箱X1
9. 304防水保護罩X1

System Specification

1. Material: 304 stainless steel + PVC
2. Voltage: 220V
3. Size: 100*200*60cm
4. Diameter: 3 inches x1
5. Horsepower: 750Wx1 = 750W.
6. UV lamp: 15Wx7pcs=105W
7. Water level control switch X1
8. 304 waterproof control box X1
9. 304 waterproof protective cover X1

實際案例 Application

大安森林公園

苗栗後龍

產品特色 Product features

A.集污
水流經過設備時，靠著水面張力收集水面上的落葉、昆蟲自動有效收集過濾水面髒污達到方便維護，只要定期清除，永保水面乾淨。

A. Pollution collection
When the water flows through the equipment, the fallen leaves on the water surface are collected by the tension of the water surface, and the insects can automatically and effectively collect and filter the dirt on the water surface to facilitate maintenance. As long as it is cleaned regularly, the water surface will be kept clean forever.

B.殺菌
水經過設備時會通過浸泡式UV殺菌燈達到強效殺菌除藻。

B. Sterilization
When the water passes through the equipment, it will use the immersion UV germicidal lamp to achieve strong sterilization and algae removal.

C.溶氧
造流泵可以大量揚水並自吸空氣，再經由溶氧混合裝置將含氧水重新打入水中，使水中含氧量提高，並產生水流以及減少噪音。

C. Dissolved oxygen
The flow pump can lift a large amount of water and self-suck air, and then re-pump the oxygenated water into the water through the dissolved oxygen mixing device to increase the oxygen content in the water, generate water flow and reduce noise.

D.造流
節能造流泵每分鐘高達600L/分，揚程高達13M可以有效達到強力造流。

D. FLOW generation
The energy-saving flow-making pump is up to 600L/min per minute, and the head is up to 13M, which can effectively achieve strong flow-making.

WUYO 冰屋&配置工程
ICE HOUSE & Configuration Project

WUYO Aquatech

無憂冰屋-過冬神器
因應寒害而生-防止損失

WUYO ICE HOUSE - Winter Artifact

Born in response to cold damage - to prevent losses

產品特色 Product features

優點：
1.寒流不用怕。
2.過冬價格好。
3.保溫省電
4.數位控溫好管理

Advantage:
1. Don't be afraid of cold snaps.
2. Good price for winter.
3. Heat preservation and power saving
4. Digital temperature control is easy to manage

無憂安置配置工程



位置	1.5”	2”	3”	4”	6”	8”
a	60	80	125	150	200	240
b	80	100	125	150	200	240
c	70	115	135	145-160	200	220
W	120	140	200	230	280	300
D	120	140	200	200	240	300
H	180	180	180	200	250	280





本圖文內容屬產權所有，嚴禁抄襲仿冒必究

WUYO 無憂節能泵-陸上泵
Energy Saving Pump-Onshore Pump

適用：魚池/海水養殖/淡水養殖/泳池過濾
Application: Fishpond/ Sea water cultivation/ Fresh water cultivation/ Ecology /Floating filte





型號	相數	電壓	馬力	口徑	極數	揚程	水量	重量	尺寸 SIZE					
TYPE	PH	VOLT	H P	Inch	P	M	L/min	KG	A	B	C	D	E	F
ES0520	1	110/220	1/2	2″	2P	9	200	30	34	21	23	18.5	11.5	10
ES1020 ET1020	1 3	110/220 220/380	1	2″	2P	25	340	36	46	26.5	29	21	13	13.5
ES1020 ET1020	1 3	110/220 220/380	1	2″	2P	25	340	36	46	26.5	29	21	13	13.5
ES1030 ET1030	1 3	110/220 220/380	1	3″	2P	12	230	45.5 44.5	52 50	26.5	34	22	12.5	13.5
ES2030 ET2030	1 3	110/220 220/380	2	3″	2P	26	870	45.5 44.5	52 50	26.5	34	22	12.5	13.5
ES2040 ET2040	1 3	220 220/380	2	4″	4P	15	1500	54.5	57	33	51.5	15	14.5	18
ES3040 ET3040	1 3	220 220/380	3	4″	4P	19	1700	64.5	58	33	55	15	14.5	18
ES5040 ET5040	1 3	220 220/380	5	4″	4P	22	1900	67	58	33	55	15	14.5	18

產品特色 Product features

大口徑、大流量、超節能、最環保

Large diameter、large flow、super energy saving、the most environmentally friendly

UV反應器系統

WUYO Aquatech

適用：魚池/養殖/山泉水/地下水/自來水過濾
Application: Fishpon/ Cultivation/Spring water/ Groundwater / Fresh water cultivation

型號	規格	處理量	功率	口徑
UVC-180	76mmx900mm	6 (T/H)	1支=80W	1”
UVC-280	89mmx900mm	20 (T/H)	1支=80W	2”
UVC-3160	108mmx900mm	30 (T/H)	2支=160W	3”
UVC-4320	159mmx900mm	50 (T/H)	4支=320W	4”
UVC-6720	219mmx1200mm	100 (T/H)	6支=720W	6”
UVC-8120	273mmx1200mm	200 (T/H)	10支=1200W	8”
UVC-10192	330mmx1200mm	300 (T/H)	16支=1920W	10”
UVC-12240	416mmx1200mm	500 (T/H)	20支=2400W	12”

尺寸規格依實品為準Dimensions according to the real product shall prevail

產品特色 Product features

1. 不銹鋼材質、體積小高功率，快速殺菌及除藻。
   Stainless steel material, small volume and high power, rapid sterilization and algae removal.
2. 配有故障顯示、計時器、電壓表。
   Equipped with fixed fault display, timer, voltmeter.

尊重知識產權 侵權必究

WUYO 水池配件及濾材
Pond accessories and filters

水池配件 Pond accessories

立式集污器
Vertical Surface filter

水面集污器-廣口型
Surface filter Wide

加藥器 1.5”
Chemical dispenser dia. 1.5”

除毛器 1.5”
Fiber eliminator dia. 1.5”


網竿 3M/5M
Net pole 3M/5M

紫外殺菌燈 15W/30W
UV germicidal lamp

曝氣盤 35CM
Aeration

排水網 10”-12”
Drainage net

魚池刷子
Pond brush

淺層網
Shallow net

深層網
Deep net

氣泡頭
Bubble Head

電器箱 Electrical box

手動
Manual dedicated

半自動
Semi-automatic dedicated

全自動
Fully-Fully-automatic dedicated

雙機交替
Exchangeable dedicated

尺寸規格依實品為準Dimensions according to the real product shall prevail

噴泉 Fountain

LED水底照明燈3W/6W/9W
（顏色：七彩，單色）
Underwater lights
(Colors: Colorful, Monochrome)

蘑菇噴泉
Crystal Dome

喇叭花噴泉
Morning Glory

三層花噴泉 1”
Three-layer Fountain

冰塔雪松噴泉 Cedar ice tower fountain

無憂濾料

石英砂 Quartz sand

過濾最好的濾材，物理過濾首選濾材，天然礦石無毒素，過濾綠藻浮游物雜質
The best filter medium, physical filtration medium of choice, the natural ore, no toxins, impurities filtered algae float.


0號砂

1號砂

2號砂

4號砂

6號砂

天然黑山石火山岩 Black volcanic rock

1. 最好的生化濾材。
   The best biochemical filter.
2. 養殖必備多孔性濾材。
   Aquaculture necessary porous filter.
3. 魚菜共生粒耕最佳利器不會浮起來。
   Aquaponics best weapon will not float grain farming.
4. 種植造景可用的天然石。
   Available in natural stone landscaping planting.
5. 粒徑2.5~3.5公分最適用不易阻塞阻擋水流。
   2.5 to 3.5cm in diameter most suitable clogging water barrier.

本產品知識產權仿冒必究

WUYO Aquatech

安裝前後比較 我們不只有實力更有實際案例

安裝前 Before　安裝後 After

彰化省心書苑

台北新莊侯老闆



桃園八德祥懋科技



基隆翁老闆



彰化埤頭彰聯環保

彰化秀水梁總

安裝前 Before　安裝後 After



台中正覺寺



台中龍井綠盈國際

台中豐原黃老闆

西螺林老闆

桃園觀音龍川宮



彰化溪州呂先生

湖泊河道過濾

安裝前 Before　安裝後 After

浙江寧波莊橋公園

台北大安森林公園



雲林千巧谷

江北公園

宜蘭冬山河

寧波河道過濾

世界展覽分享

2013 世貿展　2018 荷蘭錦鯉展



2014 世貿展　2018 廈門漁業展

2015 台中錦鯉展　2019 廣州錦鯉展

2015 德國水族展　2020南港漁業展

2016 觀賞魚博覽會　2021漁業博覽會

2016 德國錦鯉展　2022無憂服務團隊

WUYO Aquatech

魚 池 案 例 圖

中央研究院

台北北投李老闆


台中梧棲陳先生

台中神岡銓育金屬

福建養殖場

台北豪宅

台中大甲劉先生

彰化員林華屋日本料理

泉州石斑養殖場

台北天母莊老闆

台中大坑魏先生

彰化大村江先生

廣州河道處理

新北林口戴先生

台中北屯銀井林先生

彰化員林廖先生

寧波奉化升鴻

寧波高新區謝先生

台中南屯顏先生

彰化埔鹽宋先生

寧波天勝花鳥市場

荷蘭魚池

台中神岡林董

彰化鹿港邱先生

魚 池 案 例 圖 我們不只有實力更有實際案例

彰化無憂加油站

南投信義陳老闆

雲林口湖台灣鯛養殖

台南宏觀南科中學


彰化鹿港鳴達精工

南投草屯 8%美髮

嘉義太保盧先生

台南晨皓實業有限公司

彰化花壇周老闆

南投草屯小串居酒屋

嘉義民雄彭先生

台南玉井異人館

彰化田尾瑞豐園藝

南投草屯雅典園藝

斗六工業區

台南白河柯老闆

彰化員林張小姐

南投諾丁丘民宿

嘉義月桃故事館

台南裕敬街陳老闆

南投埔里張先生

南投翁先生


嘉義中埔漂水溪溫泉

台南學甲林博士

WUYO Aquatech

魚 池 案 例 圖

台南東區曾老闆

高雄仁武張先生

高雄茗觀景觀

山葉機車

台南安平伯鑫科技

高雄大坪頂謝老闆

高雄陳先生

澎湖海悅飯店

陽明山豪宅

高雄大坪頂陳先生

屏東峰漁


台東知本鰻魚養殖

台南佳里翡麗雅特

高雄楠梓吳老闆

屏東內埔陳先生

台南工業區

高雄阿蓮紫微殿

高雄滴梓陳老闆

屏東九如張小姐

宜蘭三星

高雄小港

高雄鳥松無憂地板

台東東河銘恩設計

宜蘭冬山王老闆

地下水 & 泳池案例

我們不只有實力更有實際案例

台北金山萬順農場

彰濱新鎰公司

南投埔里桃米坑

台南地下水過濾

台北新店黃老闆


彰化北斗紅海泳池

雲林斗南

高雄陳老闆

清華大學

彰化探索幼兒園

雲林北港蔡先生

屏東峰漁佳食

苗栗南庄洪先生

宜蘭養殖場

雲林方丞有限公司

宜蘭壯圍水耕農場

苗栗苑裡余先生

彰化溪湖輾米廠林先生

雲林麥寮泰有限公司

宜蘭童玩節

台中神岡

彰化田中美大種苗園

嘉義溪口養雞場

宜蘭龍潭風景區

WUYO Aquatech

魚 池 案 例 圖

台北九莊社區

苗栗後龍場

苗栗三義金達摩文教基金會

斗六官老闆

南投中興新村

520汽車旅館

宜蘭許老闆

台東鰻魚養殖場

南投埔里豪宅

雲林口湖養殖場

台灣鯛養殖場

雲林農莊

崇德國中

光電養殖場

台灣鯛養殖場

桃園大溪養殖場

台中都會公園

彰化鹿港豪宅

台中官邸

台北魚菜共生

桃園工業區

苗栗豪宅

宜蘭道場

嘉太工業區

魚 池 & 地下水 & 泳池案例

我們不只有實力更有實際案例

關廟何小姐

彰濱工業區

員林豪宅

石門水庫養殖場

屏東縣政府

水豚養殖

宜蘭鱘龍魚養殖場

雲林台灣鯛養殖場

高雄豪宅

路竹豪宅

台南豪宅

允強斗六廠


清華大學

台中豪宅

和美東華宮

彰化豪宅

桃園工業區

陽明山豪宅

彰化豪宅

北斗富麟遊覽公司

桃園豪宅

大溪工作室


高雄豪宅

高雄林宅